

Printing date 27.04.2016 Revision: 27.04.2016

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

**Trade name Weber.set Ultra-Flex** 

Safety data sheet no.: XXP014027

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Ready-to-use mortar

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

WEBER TYLON

SAINT-GOBAIN WEBER SOUTH AFRICA (Pty) Ltd

1 Shale Road, N1 Business Park, Intersection of Old Johannesburg Road and Tlokwa Street,

Kosmosdal X7, Centurion, South Africa PO Box 50416, Randjiesfontein, 1683

**SOUTH AFRICA** 

1.4 Emergency telephone number: +27(11)6178500

## **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

### **Hazard pictograms**





GHS05 GHS07

Signal word Danger

Hazard-determining components of labelling:

cement portland, grey calcium diformate

**Hazard statements** 

H315 Causes skin irritation.

(Contd. on page 2)



Printing date 27.04.2016 Revision: 27.04.2016

#### Trade name Weber.set Ultra-Flex

(Contd. of page 1)

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

#### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P362 Take off contaminated clothing.

P302+P352 IF ON SKIN: Wash with plenty of water.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

#### 2.3 Other hazards

# Results of PBT and vPvB assessment PBT: Does not contain PBT substances. vPvB: Does not contain vPvB substances.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Chemical characterisation: Mixtures

**Description:** Mixture of substances listed below with non hazardous additions.

Dangerous components:			
		25 - 50	%
EINECS: 266-043-4	Eye Dam. 1, H318; 🕠 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335		
	calcium diformate	2 - 5%	<u> </u>
EINECS: 208-863-7	♦ Eye Dam. 1, H318		

Additional information For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

**General information** Immediately remove any clothing soiled by the product.

**After inhalation** Supply fresh air and to be sure call for a doctor.

#### After skin contact

Immediately rinse with water.

If skin irritation continues, consult a doctor.

#### After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30 °C).

#### After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)



Printing date 27.04.2016 Revision: 27.04.2016

**Trade name Weber.set Ultra-Flex** 

(Contd. of page 2)

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing agents The product is not combustible.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Ensure adequate ventilation.

**6.2 Environmental precautions:** No special measures required.

#### 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Thorough dedusting.

Keep receptacles tightly sealed.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

## 7.2 Conditions for safe storage, including any incompatibilities

**Storage** 

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

## Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

7.3 Specific end use(s) No further relevant information available.

## **SECTION 8:** Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)



Printing date 27.04.2016 Revision: 27.04.2016

#### **Trade name Weber.set Ultra-Flex**

(Contd. of page 3)

#### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CA	AS No. Designation of material	%	Type	Value Unit
6599	7-15-1 cement portland, grey			
OEL	Long-term value: 10*5** mg/m³ *inhalable **respirable particulate	)		

Additional Occupational Exposure Limit Values for possible hazards during processing:

total inhalable dust: 10 mg/m³ alveolar dust (< 5 µm): 4 mg/m³

Quartz alveolar dust (< 5 µm): 0,15 mg/m<sup>3</sup>

#### Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

#### 8.2 Exposure controls

#### Personal protective equipment:

#### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

Respiratory protection: Short term filter device:

**Protection of hands:** Protective gloves.

Material of gloves Nitrile impregnated cotton gloves.

**Eye protection:** Tightly sealed goggles **Body protection:** Protective work clothing.

	SECTION 9: Phy	sical and chem	ical propert	ties
--	----------------	----------------	--------------	------

9.1 Information on basic physical and General Information	I chemical properties	
Appearance:		
Form:	Powder	
Colour:	Dark grey	
Odour:	Uncharacteristic.	
Odour threshold:	Not determined.	
pH-value:	Alkaline	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. Not applicable	
Flash point:	Not applicable	
Flammability (solid, gaseous):	Product is not flammable.	
Ignition temperature:	430 °C (DIN 51794)	
		(Contd. on page 5

(Contd. on page 5)



Printing date 27.04.2016 Revision: 27.04.2016

#### **Trade name Weber.set Ultra-Flex**

	(Contd. of page
Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Oxidising properties	Not determined.
Vapour pressure:	Not applicable.
Density:	Not applicable.
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Hardens when in contact with water.
Segregation coefficient (n-octanol/w	rater) log
Pow:	Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Solvent content:	··
Organic solvents:	0,0 %
Solids content:	100,0 %
9.2 Other information	None.

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with acids

Reacts with light alloys in the presence of moisture to form hydrogen

- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

**Primary irritant effect:** 

Skin corrosion/irritation

Causes skin irritation.

(Contd. on page 6)



Printing date 27.04.2016 Revision: 27.04.2016

#### Trade name Weber.set Ultra-Flex

(Contd. of page 5)

### Serious eye damage/irritation

Causes serious eye damage.

## Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

#### Type of test Effective concentration Method Assessment

## 65996-69-2 Slags, ferrous metal, blast furnace

LC50/96h > 100 mg/l (orfe)

EC 0/48h | > 100 mg /l (water flea)

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

### Behaviour in environmental systems:

**12.4 Mobility in soil** No further relevant information available.

#### **Ecotoxical effects:**

#### Remark:

The product contains substances which causes severe clouding in water

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

## Additional ecological information:

#### General notes:

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

## 12.5 Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**12.6 Other adverse effects** No further relevant information available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Recommendation

Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish. Possible waste code 17 09 04.

#### European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

(Contd. on page 7)



Printing date 27.04.2016 Revision: 27.04.2016

**Trade name Weber.set Ultra-Flex** 

(Contd. of page 6)

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleaning agent: Thoroughly shake out sacks.

14.1 UN-Number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	Not dangerous according to the abov specifications.
UN "Model Regulation":	Void

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

(Contd. on page 8)



Printing date 27.04.2016 Revision: 27.04.2016

#### Trade name Weber.set Ultra-Flex

(Contd. of page 7)

Department issuing SDS: R&D Department of Saint-Gobain Weber South Africa (Pty) Ltd

Contact: Mr. Jappie MOIMA, Jappie.Moima@saint-gobain.com

### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

\* Data compared to the previous version altered.

·ZA