

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2021

Revision: 08.02.2021

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking**

1.1 Product identifier

Trade name **Weber. 18 hour set tile adhesive**

Safety data sheet no.: XXP014164

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Ready-to-use mortar

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

WEBER TYLON

SAINT-GOBAIN WEBER SOUTH AFRICA (Pty) Ltd

300 Janadel Ave, Halfway House, Midrand, South Africa

SOUTH AFRICA

1.4 Emergency telephone number: +27(11)6178500

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.02.2021

Revision: 08.02.2021

Trade name Weber.18 hour set tile adhesive

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.



corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05 GHS07

Signal word Danger

Hazard-determining components of labelling:

cement portland, grey

(Contd. on page 2)

ZA

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 09.02.2021

Revision: 08.02.2021

Trade name Weber.18 hour set tile adhesive

(Contd. of page 1)

calcium diformate

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P362 Take off contaminated clothing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P501 Dispose of contents/container in accordance with local/regional/national/ international regulations.

2.3 Other hazards**Results of PBT and vPvB assessment****PBT:** Does not contain PBT substances.**vPvB:** Does not contain vPvB substances.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.02.2021

Revision: 08.02.2021

Trade name: Weber 110 hours tile adhesive

CAS: 65997-15-1	cement portland, grey	25 - 50%
EINECS: 266-043-4	Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 544-17-2	calcium diformate	1 - 2%
EINECS: 208-863-7	Eye Dam. 1, H318	

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with non hazardous additions.

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After skin contact

Immediately rinse with water. If skin irritation continues, consult a doctor.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30 °C).

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

(Contd. on page 3)

ZA

(Contd. of page 2)

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed If swallowed, gastric irrigation with added, activated carbon.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.02.2021

Revision: 08.02.2021

Trade name Weber.18 hour set tile adhesive

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents The product is not combustible.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Ensure adequate ventilation.

6.2 Environmental precautions: No special measures required.

6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Thorough dedusting.

Keep receptacles tightly sealed. Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

7.3 Specific end use(s) No further relevant information available.

ZA

(Contd. on page 4)

(Contd. of page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.02.2021

Revision: 08.02.2021

Trade name Weber.18 hour set tile adhesive

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS No.	Designation of material	%	Type	Value	Unit
65997-15-1	cement portland, grey				
OEL	Long-term value: 10*5** mg/m ³ *inhalable **respirable particulate				

Additional Occupational Exposure Limit Values for possible hazards during processing:

total inhalable dust: 10 mg/m³

alveolar dust (< 5 µm): 4 mg/m³

Quartz alveolar dust (< 5 µm) : 0,15 mg/m³

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin. Use a moisturizing skin cream after processing the product.

Respiratory protection: Short term filter device:

Protection of hands: Protective gloves.

Material of gloves Nitrile impregnated cotton gloves.

Eye protection: Tightly sealed goggles

Body protection: Protective work clothing.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.02.2021

Revision: 08.02.2021

Trade name Weber 18 hour set tile adhesive

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties General Information Appearance:

Form:	Powder
Colour:	Dark grey
Odour:	Uncharacteristic.
Odour threshold:	Not determined.

pH-value:	Alkaline
-----------	----------

Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Not applicable

Flash point:	Not applicable
--------------	----------------

(Contd. on page 5)

(Contd. of page 4)

Flammability (solid, gaseous):	Product is not flammable.
Ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined. Oxidising properties Not determined.

Vapour pressure:	Not applicable.
------------------	-----------------

Density:	Not applicable.
Relative density	Not determined.
Vapour density	Not applicable. Evaporation rate Not applicable.

Solubility in / Miscibility with

Water:	Hardens when in contact with water.
--------	-------------------------------------

Segregation coefficient (n-octanol/water) log

Pow:	Not determined.
------	-----------------

Viscosity: dynamic:	Not applicable.
kinematic:	Not applicable.

Solvent content:

Organic solvents:	0,0 %	Solids content:	100,0 %
-------------------	-------	------------------------	---------

9.2 Other information	None.
-----------------------	-------

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.02.2021

Revision: 08.02.2021

Trade name Weber.18 hour set tile adhesive**SECTION 10: Stability and reactivity****10.1 Reactivity** No further relevant information available.**10.2 Chemical stability** Stable at recommended storage conditions**Thermal decomposition / Conditions to be avoided:** No decomposition if used according to specifications.**10.3 Possibility of hazardous reactions**

Reacts with acids

Reacts with light alloys in the presence of moisture to form hydrogen

10.4 Conditions to avoid No further relevant information available.**10.5 Incompatible materials:** No further relevant information available.**10.6 Hazardous decomposition products:** No dangerous decomposition products known.**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 6)

ZA

(Contd. of page 5)

Primary irritant effect: Skin corrosion/irritation Causes skin irritation.**Serious eye damage/irritation** Causes serious eye damage.**Respiratory or skin sensitisation** May cause an allergic skin reaction.**CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)****Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met. **Reproductive toxicity** Based on available data, the classification criteria are not met. **STOT-single exposure** May cause respiratory irritation.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.02.2021

Revision: 08.02.2021

Trade name Weber.18 hour set tile adhesive

Type of test Effective concentration Method Assessment

65996-69-2 Slags, ferrous metal, blast furnace

LC50/96h > 100 mg/l (orfe)

EC 0/48h > 100 mg /l (water flea)

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

Behaviour in environmental systems:

12.4 Mobility in soil No further relevant information available.

Ecotoxical effects:

Remark:

The product contains substances which causes severe clouding in water

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

Additional ecological information:

General notes:

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Other adverse effects No further relevant information available.

ZA

(Contd. on page 7)

(Contd. of page 6)

SECTION 13: Disposal considerations

13.1 Waste treatment methods Recommendation

Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish.

Possible waste code 17 09 04. **European waste catalogue**

Possible waste code. The concrete waste code depends on the source of the waste.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleaning agent: Thoroughly shake out sacks.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.02.2021

Revision: 08.02.2021

Trade name Weber.18 hour set tile adhesive

SECTION 14: Transport information

14.1 UN-Number

ADR, ADN, IMDG, IATA

Void

14.2 UN proper shipping name

ADR, ADN, IMDG, IATA

Void

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class

Void

14.4 Packing group

ADR, IMDG, IATA

Void

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code

Not applicable.

Transport/Additional information:

Not dangerous according to the above specifications.

UN "Model Regulation":

Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 09.02.2021

Revision: 08.02.2021

Trade name Weber.18 hour set tile adhesive

ZA

(Contd. of page 7)

features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Department issuing SDS: R&D Department of Saint-Gobain Weber South Africa (Pty) Ltd

Contact: Mr. Thabani Zenda, Thabani.Zenda@saint-gobain.com

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

*** Data compared to the previous version altered.**

ZA